



— Pharma Process & Packaging

[www.saintyco.com](http://www.saintyco.com)

# EcoTab-27D

---

## Rotary Tablet Press



# EcoTab-27D

Rotary Tablet Press



CE



AUTO

EASY  
TO USE

UP TO  
64800  
TABLETS

The **EcoTab-27 Rotary Tablet Press** is a double-pressing automatically revolving piece-pressing machine which could make grain be pressed to be round piece, be carved characters, special shapes and double color piece prescription. It is mainly used in manufacturing piece prescription for pharmaceutical industry enterprises like chemical industry, foods, electronics.

## Features

---



EcoTab-27D

- Peripheral casing is closed form which is made of all stainless steel , internal mesa adopt stainless steel material, it can keep the surface glossy and prevent cross contamination and meet GMP requirement.
- It is equipped with organic glass and visual window, visual tablet state, all of the side plate can turn on and clear up and maintenance is easy.
- All controller and operating parts are rational layout.
- It is equipped with variable frequency speed control device for electrical control, convenient operation, steady running, it is safe and accurate.
- It is equipped with overload protection device, when pressure overload, it can stop automatically.
- It is the mechanical and electrical integration, has touch key and screen display.
- Being the leader in trying to use semi-automatic lubrication device and the top of rotary table is equipped organic glass dust prevention device.
- Transmission system is sealed on the main tank below, is a safe separation of independent components, also has no cross pollution, and transmission of infiltration in the oil pool, easy to has heat output and also it is wearable.
- It is equipped with powder absorbing device , can absorb indoor dust .



Technical Data	EcoTab-27D
Quantity of Punch & Die (set)	27
Tooling type	D
Diameter of punch (mm)	38.1
Length of punch (mm)	25.35
Pitch circle diameter(mm)	133.6
Max. Pressure (kn)	100
Max. Dia. of Tablet (mm)	25
Max. Thickness of Tablet (mm)	6
Max. Depth of Filling (mm)	15
Rotate Speed (r/min)	20
Production Capacity (pc/h)	64,800
Motor Power (kw)	5.5
Overall Size (mm)	1240×980×1650

SaintyCo also offer:

Fluid-Bed Processors

High Shear Mixer Granulator

Roller Compactor

Blister Packing Solutions

Effervoscent Tablets Tube Filler

